

SL

Alma and MarcEdit

Karen Stone
Manager, Description Services
State Library of Queensland

MarcEdit

- A metadata editing software suite used primarily to create and manipulate MARC records.
- Originally developed by Terry Reese in 1999 for a major database clean-up project at Oregon State University
- Is available for use on MacOS (10.8+), Linux, and Windows (XP+)
- Active User Community
 - Windows Users: ~20,000
 - MacOS Users: ~1,000
 - Linux Users: ~150



MarcEdit – an intro

Includes

- Global editing functions
- Full regular expression and UTF-8 support
- Ability to utilize any character set supported by the operating system.



MarcEdit – an intro

Functions -

- Globally Add/Delete Fields
- Edit Subfields
- Edit Indicators
- Swap/Copy/Find/Replace Field Data
- Build Records & Fields
- Generate Call Numbers & Cutters
- Validate Records & Headings
- Build linked records
- Convert AACR2 to RDA
- Dedup batches



MarcEdit – an intro

And...

- Direct Integration with Supported ILS system
- Macro support
- Task Support
- Delimited Text Translator
- Export tab Delimited
- OAI Harvest
- XML Translations
- Character set conversion
- MARC SQL Explorer



Alma interoperability

- Allows users to search, create, and update Alma records from within MarcEdit
- Instructions can be found at <http://blog.reeset.net/archives/1950>
- Configuration is simple but requires some 'prerequisites'



Alma interoperability - Prerequisites

- Requires an Alma API key that supports the Bib API and the User Api.
 - Must have read/write on the bib API
- Z39.50 access enabled in Alma




Alma interoperability - MarcEdit

- Z39.50 connection to your Alma Instance
 - Open the Z39.50 Client
 - Select Modify Databases



dit By Terry Reese



 MarcEdit Z39.50 Client

Search Mode

Batch Mode

**Modify
Databases**

Set Options

About Client

 MarcEdit Z39.50 Client

Search Mode

Batch Mode

**Modify
Databases**

Set Options

About Client

Select Database:

ID	Name	Type
1	Library of Congress	Z39.50
2	Oregon State University (INNOPAC)	Z39.50
3	OCLC Cataloging Service	Z39.50
4	Alma	Z39.50

Options

Add Database

Delete Database

Modify Database

Close

Database Properties

Database Properties Advanced Properties

Name:
Alma

Host:
ap01.alma.exlibrisgroup.com

Database:
61SLQ_INST

Port:
1921

Syntax:
MARC21

Username:

Password:


Override pause (6 secs.)

Show Database

Save Close

Alma interoperability - MarcEdit

- Setting up
- Starting



MarcEdit Preferences: Main Window Settings

Main Window

MarcEditor

Language

Export

MARCEngine

Updates

File Associations

Locations

Other

ILS Integration

OCLC API

Set Default Programs

-  Delimited Text Translator
-  MARC SQL Explorer
-  Harvest OAI Records
-  Z39.50/SRU Client
-  MARCJoin
-  MARCSplit
-  Merge Records
-  RDA Helper
-  MARCValidator
-  Export To Delimited

OK

Close

Apply

MarcEdit Preferences: ILS Integration

Main Window
MarcEditor
Language
Export
MARCEngine
Updates
File Associations
Locations
Other
ILS Integration
OCLC API

Select System:
Alma
Koha

Host Name:
https://api-ap.hosted.exlibrisgroup.com/

Username:

Password:

Ignore SSL Certificate Errors

Use Z39.50 Settings

[Select](#) | [Edit](#) | [Delete](#)

Enable ILS Options

Profiles:
default
Alma

[Add](#) | [Delete](#)

OK Close Apply



Main Window

MarcEditor

Language

Export

MARCEngine

Updates

File Associations

Locations

Other

ILS Integration

OCLC API

Select ILS



Library of Congress
Oregon State University (INNOPAC)
OCLC Cataloging Service

Alma

Select

OK

Close

Apply

Alma interoperability

Editing batches

- From the MarcEdit menu
 - Select Alma
 - Select Search
- Select 'Batch search'
- Choose your match point – Record number for MMS ID
- Browse to your text file containing only a list of MMS IDs
- Click on the green arrow to search
- Select 'Download all items'

Hints

- Don't navigate away from the page



Z39.50 Capture

Query Database:
Alma

Search:
O:\Description Services\Projec  Record Numb  

Limit Batch Search

Options

[Select Database](#)

Retrieve Unicode
Server Character set

Results

Position	Title	Zone
0	Moreton 40 Chain map, sheet 12 south \$f...	IZ
1	Moreton 40 Chain map, sheet 12 south \$f...	IZ
2	Moreton 40 Chain map, sheet 11 south \$f...	IZ
3	Moreton 40 Chain map, sheet 11 south \$f...	IZ

[Download All Items](#) [Download All Holdings](#)

Alma interoperability

Editing batches

- Edit records as required
- From the MarcEdit menu
 - Select Alma
 - Select Update/Create

Hint

- Don't navigate away from the page



Alma interoperability

Editing Holdings

- Retrieve records in same way as for Bibliographic records
- Once batch is found
 - Select 'Download all holdings'



Alma interoperability

Editing a single record

- From the MarcEdit menu
 - Select Alma
 - Select Search
- Enter your search term
- Choose your match point
- Click on the green arrow to search
- Double click the search result to download the record



Alma interoperability

Editing more than one but not a batch?

- Search for second/subsequent records
- Double click to download.
- Accept the message 'Append to existing data in the MarcEditor'
- Edit as a batch

Hint

- Choosing no will delete the current record/s from the MarcEditor.
Any changes will be lost.



Alma interoperability

Large batches

- Time taken to search and update not conducive to large sets

Hint

- Export from Alma
- Edit in Marc Edit
- Reimport to Alma using MMS ID match & 'overlay' profile



Creating records

- Create basic record with unique data using CSV file
- Use Delimited Text Translator to create brief records
- Add default fields using MarcEdit tasks

Edit Task List

Task List Name:

Description:

Tasks:

SUBFIELD_EDIT	LDR	22:1	e	0	0 0
ADD	006	m#####d#####		100	
ADD	007	cr#mn#--auuuu		100	
SUBFIELD_EDIT	008	11:29	\\lqea s##### l 0 eng#d		0 0
ADD	040	\$aQSL\$beng\$cQSL\$dserda\$dQSL			101
INDICATOR	110	2	Council	1	
INDICATOR	110	2	Department		1
INDICATOR	245	0	\$c	1	
INDICATOR	245	00	\$aThe	04	
INDICATOR	245	10	\$aThe	14	
INDICATOR	245	00	\$aAn	03	
INDICATOR	245	10	\$aAn	13	
INDICATOR	245	00	\$aA	02	
INDICATOR	245	10	\$aA	12	
EDITFIELD	245	.\$b	1	.\$b	
EDITFIELD	245	.\$c	0	./\$c	
EDITFIELD	264	.\$b	0	.\$b	
EDITFIELD	264	.\$c	1	.\$c	
ADD	300	\$aonline resource (1 volume)		100	
ADD	336	\$atext\$2rdacontent		100	
ADD	337	\$acomputer\$2rdamedia		100	
ADD	338	\$aonline resource\$2rdacarrier		100	
ADD	347	\$atext file\$bPDF\$2rda		100	
ADD	500	\$aTitle from PDF cover page		100	
EDITFIELD	538	Onsite	0	Available online at the State Library of Queensland for onsite users only	
EDITFIELD	538	Open	1	Available online at the State Library of Queensland	
ADD	593	\$z	100		
SUBFIELD_EDIT	593	\$z		A copy of this item has been lodged as\$uhttp://www.siq.qld.gov.au/info/pw/legdep\$ylegal deposit	0 1
EDITFIELD	593	\$z	0	\\\$z	
INDICATOR	710	2	\$bCouncil	1	
INDICATOR	710	2	\$bDepartment	1	
ADD	852	8\$bEBOOKQM\$hinternet access		100	
ADD	856	40\$uhttp://hdl.handle.net/10462/pdf/XXXX\$zSLQ		100	
REPLACE	\$a	\\\$a	0	1	

Actions:

Save Close

Creating records

Then either -

- 'Send' to Alma using Z39.50
 - No items or holdings created
 - Cannot apply normalisation rules
 - Cannot suppress

Or

- Compile into Marc
- Import to Alma using normal import profile



Creating 'stub' records

Aim – add new fields to existing Alma records

- Merge with existing Alma records
- Import using MMS ID match and 'merge' profile



MarcEditor: 40chain-Moreton stub.mrk

File Edit Fonts Reports Tools Alma OCLC WorldCat Plug-ins Help



```
=LDR 0000nam 2200000la 45e0
=001 99183367189602061
=008 170502s9999\\bxl\\000\\0\\und\\d
=095 \\$a10462/deriv/448267
=245 \\$aMap of east & west Moreton embracing the watershed of the Brisbane River and of the Logan and Albert Rivers &c.
=856 \\$uhttp://hdl.handle.net/10462/deriv/448406$zView the map.
```

```
=LDR 0000nam 2200000la 45e0
=001 99183378416302061
=008 170502s9999\\bxl\\000\\0\\und\\d
=095 \\$a10462/deriv/448268
=245 \\$a"Moreton 40 Chain map, sheet 13a south"
=856 \\$uhttp://hdl.handle.net/10462/deriv/448409$zView the map.
```

```
=LDR 0000nam 2200000la 45e0
=001 99183378416402061
=008 170502s9999\\bxl\\000\\0\\und\\d
=095 \\$a10462/deriv/448269
=245 \\$a"Moreton 40 Chain map, sheet 13 south"
=856 \\$uhttp://hdl.handle.net/10462/deriv/448410$zView the map.
```

```
=LDR 0000nam 2200000la 45e0
=001 99183378416502061
=008 170502s9999\\bxl\\000\\0\\und\\d
=095 \\$a10462/deriv/448270
=245 \\$a"Moreton 40 Chain map, sheet 13 north"
=856 \\$uhttp://hdl.handle.net/10462/deriv/448411$zView the map.
```

Add 856/095

```
rule "Merge 856/095"
  when
    merge
  then
    add MARC."095"
    add MARC."856"
end
```

Pre Ingest Processing

Edit records prior to import to Alma

- Vendor MARC records
 - eBook bulk
 - EOD data - unique order numbers
- Use preset 'tasks' to speed up processing



More help?

- MarcEdit context sensitive help
- Terry's Worklog (<http://blog.reeset.net/>)
- YouTube Tutorials
- MarcEdit list



Thank you!

Karen Stone
e: karen.stone@slq.qld.gov.au





Queensland
Government

all yours